

Declaration of performance according Regulation (EC) no. 305/2011 StyleBoard MDF schwarz - Code 1520

General purpose, non load-bearing boards for use in dry conditions

Relevant harmonised standard: EN 13986:2004

The manufacturer assesses and controls the consistency of performance of the mentioned product according system 4, European Standard 13986. He has installed a factory production control according European Standard 13986.

Thickness (nominal)	> 9 mm to ≤ 15.9 mm
Classification of boards (EN 622-5)	MDF
Reaction to fire euroclasses (EN 13986)	D-s2, d0
Conditions of use (EN 1995-1-1)	Service class 1
Content, pentachlorophenol	< 5 ppm
Class, formaldehyde release (EN 13986)	E1
Internal bond (EN 319)	0.65 N/mm ²
Bending strength (EN 310)	28 N/mm ²
Modulus of elasticity in bending (EN 310)	2500 N/mm ²

Pfleiderer Holzwerkstoffe GmbH • Ingolstädter Str. 51 • 92318 Neumarkt • www.pfleiderer.com

Phone: ++49 (0) 9181 - 28 480 • Fax: ++49 (0) 9181 - 28 482 • Mail: info@pfleiderer.com



i. V. Claus Seemann (Leitung Produktmanagement Träger)

25.07.2013

Declaration of performance according Regulation (EC) no. 305/2011 StyleBoard MDF schwarz - Code 1520

General purpose, non load-bearing boards for use in dry conditions

Relevant harmonised standard: EN 13986:2004

The manufacturer assesses and controls the consistency of performance of the mentioned product according system 4, European Standard 13986. He has installed a factory production control according European Standard 13986.

Thickness (nominal)	> 15.9 mm to ≤ 22 mm
Classification of boards (EN 622-5)	MDF
Reaction to fire euroclasses (EN 13986)	D-s2, d0
Conditions of use (EN 1995-1-1)	Service class 1
Content, pentachlorophenol	< 5 ppm
Class, formaldehyde release (EN 13986)	E1
Internal bond (EN 319)	0.65 N/mm ²
Bending strength (EN 310)	28 N/mm ²
Modulus of elasticity in bending (EN 310)	2500 N/mm ²

Pfleiderer Holzwerkstoffe GmbH • Ingolstädter Str. 51 • 92318 Neumarkt • www.pfleiderer.com

Phone: ++49 (0) 9181 - 28 480 • Fax: ++49 (0) 9181 - 28 482 • Mail: info@pfleiderer.com



i. V. Claus Seemann (Leitung Produktmanagement Träger)

25.07.2013

Declaration of performance according Regulation (EC) no. 305/2011 StyleBoard MDF schwarz - Code 1520

General purpose, non load-bearing boards for use in dry conditions

Relevant harmonised standard: EN 13986:2004

The manufacturer assesses and controls the consistency of performance of the mentioned product according system 4, European Standard 13986. He has installed a factory production control according European Standard 13986.

Thickness (nominal)	> 22 mm to ≤ 25 mm
Classification of boards (EN 622-5)	MDF
Reaction to fire euroclasses (EN 13986)	D-s2, d0
Conditions of use (EN 1995-1-1)	Service class 1
Content, pentachlorophenol	< 5 ppm
Class, formaldehyde release (EN 13986)	E1
Internal bond (EN 319)	0.55 N/mm ²
Bending strength (EN 310)	25 N/mm ²
Modulus of elasticity in bending (EN 310)	2200 N/mm ²

Pfleiderer Holzwerkstoffe GmbH • Ingolstädter Str. 51 • 92318 Neumarkt • www.pfleiderer.com

Phone: ++49 (0) 9181 - 28 480 • Fax: ++49 (0) 9181 - 28 482 • Mail: info@pfleiderer.com



i. V. Claus Seemann (Leitung Produktmanagement Träger)

25.07.2013